

This list provides indicative reading it is not an exhaustive list of references.

Incidence/impact of post injury psychopathology

1. O'Donnell, M.,L., Varker, T., Holmes, A.C., Ellen, S., Wade, D., Creamer, M., Silove, D., McFarlane, A., Bryant, R.A. and Forbes, D. (2013) Disability after injury: the cumulative burden of physical and mental health. *The Journal of Clinical Psychiatry* [online]. 74 (2), pp.e137-e143.
2. Bryant R, O'Donnell M, Creamer M, McFarlane A, Clark C, Silove D (2010).The psychiatric sequelae of traumatic injury *Am J Psychiatry*. Mar;167(3):312-20. doi: 10.1176/appi.ajp.2009.09050617. Epub 2010 Jan 4.
3. Wiseman T, Foster K, Curtis K.(2013) Mental health following traumatic injury: an integrative literature review *Injury*. 2013 Nov;44(11):1383-90. doi: 10.1016/j.injury.2012.02.015. Epub 2012 Mar 10.
4. Vincent H, Horodyski M, Vincent K, Brisbane S, Sadasivan K.(2015) Psychological distress after Orthopaedic trauma: Prevalence in patients and implications for rehabilitation *PM R*. Sep;7(9):978-89. doi: 10.1016/j.pmrj.2015.03.007. Epub 2015 Mar 12.
5. Muscatelli S, Spurr H, O'Hara N, O'Hara L, Sprague S, Slobogean G. (2017) The prevalence of depression and PTSD following acute orthopaedic trauma: a systematic review and meta-analysis *J Orthop Trauma*. 2017 Jan;31(1):47-55. doi: 10.1097/BOT.000000000000066
6. O'Donnell M, Bryant R, Creamer M, Carty J. (2008). Mental health following traumatic injury: Toward a health system model of early psychological intervention. *Clinical Psychology Review*, 28(3), 387–406. doi:10.1016/j.cpr.2007.07.008. i: 10.1002/jts.21677.
7. Bryant, R. A., McFarlane, A. C., Silove, D., O'Donnell, M. L., Forbes, D., & Creamer, M. (2015). The lingering impact of resolved PTSD on subsequent functioning. *Clinical Psychological Science*. doi:10.1177/2167702615598756.
8. Wiseman T, Curtis K, Foster K. (2015) Incidence of depression, anxiety and stress following traumatic injury: a longitudinal study *Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine* 23:29 DOI 10.1186/s13049-015-0109-z
9. O'Donnell, M. L., Creamer, M., Elliott, P., Atkin, C., & Kossman, T. (2005). Determinants of quality of life and role-related disability after injury: Impact of acute Psychological Responses. *Journal of Trauma: Injury, Infection and Critical Care*, 59(6),1328–1334.
10. Kendrick, D., Vinogradova, Y., Coupland, C., Mulvaney, C. A., Christie, N., Lyons, R. A., et al. (2013). Recovery from injury: The UK Burden of injury multicentre longitudinal study. *Injury Prevention*, 19, 370–381.
11. Polinder, S., Haagsma, J. A., Lyons, R. A., Gabbe, B. J., Ameratunga, S., Cryer, C., et al. (2012). Measuring the population burden of fatal and nonfatal injury. *Epidemiologic Reviews*, 34(1), 17–31. doi:10.1093/epirev/mxr022.
12. Haagsma, J.A., Polinder, S., Toet, H., Panneman, M., Havelaar, A.H., Bonsel, G.J. and van Beeck, E.F. (2011) Beyond the neglect of psychological consequences: Post-traumatic stress disorder increases the non-fatal burden of injury by more than 50%. *Injury Prevention* [online]. 17 (1), pp.21-26.
13. O'Donnell, M.,L., Holmes, A.C., Creamer, M.C., Ellen, S., Judson, R., McFarlane, A.C., Silove, D.M. and Bryant, R.A. (2009) The role of post-traumatic stress disorder and depression in predicting disability after injury. *The Medical Journal of Australia* [online]. 190 (7), pp.S71-S74.
14. Archer K, Abraham C, Obremsky W. (2015) Psychosocial factors Predict pain and Physical health after lower extremity trauma *Clin Orthop Relat Res*. 2015 Nov;473(11):3519-26. doi: 10.1007/s11999-015-4504-6.

Risk factors

(NB many of the articles above look at general susceptibilities and pre, peri and post traumatic associations the articles below focus on more specific risk factors)

1. Richmond T, Ruzek J, Kassam-Adams N (2011) Predicting the future development of depression or PTSD after injury *Gen Hosp Psychiatry*. 33(4): 327–335. doi:10.1016/j.genhosppsy.2011.05.003.
2. Forbes D, Alkemade N, Nickerson A, Bryant R, Creamer M, et al. (2016) Prediction of late-onset Psychiatric disorder in survivors of severe injury. *The Journal of Clinical Psychiatry* 77(6):807-812]
3. Fletcher S, O'Donnell M, Forbes D. (2016) Personality and trajectories of post-traumatic psychopathology: a latent change modelling approach *J Anxiety Disord*. 42:1-9. doi: 10.1016/j.janxdis.2016.05.003. Epub 2016 May 13
4. Elbers N, Hulst L, Cuijpers P, Akkermans A, Bruinvels D. (2013) Do compensation processes impair mental health? A meta-analysis *Injury*. 44(5):674-83. doi: 10.1016/j.injury.2011.11.025. Epub 2012 Jan 14.
5. Clay F, Newstead SV, Watson W, Ozanne-Smith J, Guy J, McClure R (2010). Bio-Psychosocial determinants of persistent pain 6 months after non-life threatening acute orthopaedic trauma *J Pain*. 2010 May;11(5):420-30. doi: 10.1016/j.jpain.2009.12.002.

Prevention/mitigation

1. Skeffington P, Rees C, Kane R, (2013) The Primary Prevention of PTSD: A Systematic Review *Journal of Trauma & Dissociation* <https://doi.org/10.1080/15299732.2012.753653>
2. Forneris C, Gartlehner G, Brownley K, Gaynes B, Sonis J et al (2013) Interventions to Prevent Post-Traumatic Stress Disorder A Systematic Review DOI: <https://doi.org/10.1016/j.amepre.2013.02.013>
3. Rose S, Bisson J, Churchill R, Wessely S. (2002) Psychological debriefing for preventing PTSD *Cochrane Database Syst Rev*. 2002;(2):CD000560.
4. Bisson I (2014) Early responding to traumatic events *British Journal of psychiatry* Volume 204 (5), p329-330
5. Dyregrov, A. and Regel, S. (2012) Early Interventions Following Exposure to Traumatic Events: Implications for Practice from Recent Research. *Journal of Loss & Trauma*, 17 (3), p271-291.
6. Roberts, N.P., Kitchiner, N.J., Kenardy, J. and Bisson, J.I. (2010) Early psychological interventions to treat acute traumatic stress symptoms. *The Cochrane Database of Systematic Reviews* [online]. (3), pp.CD007944.
7. Dieltjens T, Moonens I, Van Praet K, De Buck E, Vandekerckhove P. (2014) A systematic literature search on psychological first aid: lack of evidence to develop guidelines <https://doi.org/10.1371/journal.pone.0114714>
8. Amos T, Stein D, Ipser J. (2014) Pharmacological interventions for preventing post-traumatic stress disorder (PTSD) review *Cochrane Database Syst Rev*. 2014 Jul 8;(7):CD006239. doi: 10.1002/14651858.CD006239.pub2.

Detection

1. Brewin C. (2005) Systematic review of screening instruments for adults at risk of PTSD. *J Trauma Stress*. Feb;18(1):53-62.
2. Russo J, Katon W, Zatzick D. (2013) The development of a population based automated screening procedure for PTSD in acutely injured hospitalised trauma survivors *Gen Hosp Psychiatry*. 35(5): 485–491. doi:10.1016/j.genhosppsy.2013.04.016

3. Bolduc A, Hwang B, Hogan C, Bhalla VK, Nesmith E, Medeiros R, et al (2015) Identification and referral of patients at risk for Post-traumatic stress disorder: a literature review and retrospective analysis *Am Surg.* 81(9):904-8.
4. Gilbody, S., House, A.O. and Sheldon, T.A. (2005) Screening and case finding instruments for depression. *The Cochrane Database of Systematic Reviews* [online]. (4), pp.CD002792.

Treatment

1. Roberts N, Kitchiner N, Kenardy J, Bisson J. (2010) Early psychological interventions to treat acute-traumatic stress symptoms *Cochrane Database Syst Rev.* 2010 Mar 17;(3):CD007944. doi: 10.1002/14651858.CD007944.pub2.
2. Roberts N, Kitchiner N, Kenardy J, Bisson J. (2009) Systematic review and meta-analysis of multiple-session early interventions following traumatic events *Am J Psychiatry.* Mar;166(3):293-301. doi: 10.1176/appi.ajp.2008.08040590. Epub 2009 Feb 2.
3. Hetrick S, Purcell R, Garner B, Parslow R. (2010) Combined pharmacotherapy and psychological therapies for PTSD *Cochrane Database Syst Rev.* 7;(7):CD007316. doi: 10.1002/14651858.CD007316.pub2.
4. Roberts N, Kitchiner N, Kenardy J, Bisson J. (2009) Multiple session early psychological interventions for the prevention of PTSD *Cochrane Database Syst Rev.* Jul 8;(3):CD006869. doi: 10.1002/14651858.CD006869.pub2.
5. Hoskins M, Pearce J, Bethell A, Dankova L et al (2015) Pharmacotherapy for post-traumatic stress disorder: Systematic review and meta-analysis. *British journal of Psychiatry* Volume 206, Issue 2 February 2015 , pp. 93-100
6. Bisson J, Roberts N, Andrew M, Cooper R, Lewis C (2013) Psychological therapies for chronic post-traumatic stress disorder (PTSD) in adults *Cochrane Database Syst Rev.* 2013 Dec 13;(12):CD003388. doi: 10.1002/14651858.CD003388.pub4.
7. Chen Y, Hung K, Tsai J, Chu H, Chung M et al (2014) Efficacy of EMDR for patients with Posttraumatic stress disorder: a meta-analysis of randomised controlled trials *PLoS One.* 2014 Aug 7;9(8):e103676. doi: 10.1371/journal.pone.0103676. eCollection 2014.
8. Kar N. (2011) Cognitive behavioural therapy for the treatment of post-traumatic stress disorder: a review *Neuropsychiatr Dis Treat.* 2011;7:167-81. doi: 10.2147/NDT.S10389. Epub 2011 Apr 4.
9. Kearns M, Ressler K, Zatzick D, Rothbaum B. (2012) Early interventions for ptsd: a review. *Depress. Anxiety.* 29(10): 833–842. doi:10.1002/da.21997.
10. Anke E, Bisson J, Clarke D, Creamer M, et al. (2010) Do all psychological treatments really work the same in PTSD? *Clinical Psychology Review;* 3(2), March 2010, Pages 269-276

Guidelines

1. National Collaborating Centre for Mental Health. (2018) NICE guidelines for the management of PTSD: Clinical guideline [NG116] See: <https://www.nice.org.uk/guidance/ng116/resources/posttraumatic-stress-disorder-pdf-66141601777861>
2. National Institute for Health and Care Excellence. (2009). Depression in adults: Recognition and management. Clinical guideline [CG90]. <https://www.nice.org.uk/guidance/cg90/resources/depression-in-adults-recognition-and-management-pdf-975742636741>
3. British Society of Rehabilitation Medicine. Specialist Rehabilitation in the Trauma pathway: BSRM core standards (2018). <https://www.bsrm.org.uk/downloads/bsrm-core-standards-for-major-trauma-19.11.2018-clean-for-web.pdf>

Integrated health system models

1. Zatzick D, Jurkovich G, Rivara FP, Russo J, Wagner A, Wang J, Dunn C, Lord SP, Petrie M, O'Connor SS, Katon W. (2013) A randomized stepped care intervention trial targeting posttraumatic stress disorder for surgically hospitalized injury survivors. *Ann Surg.* 257(3):390-9. doi: 10.1097/SLA.0b013e31826bc313
2. O'Donnell M, Lau W, Tipping S, Holmes A, Ellen S, Judson R, Varker T, Elliot P, Bryant R, Creamer M, Forbes D. (2012) Stepped early psychological intervention for posttraumatic stress disorder, other anxiety disorders, and depression following serious injury. *Trauma Stress.* 25(2):125-33. doi: 10.1016/j.genhosppsych.2011.01.001. Epub 2011 Feb 18.
3. Zatzick D1, Rivara F, Jurkovich G, Russo J, Trusz SG, Wang J, Wagner A, Stephens K, Dunn C, Uehara E, Petrie M, Engel C, Davydow D, Katon W. (2011) Enhancing the population impact of collaborative care interventions: mixed method development and implementation of stepped care targeting posttraumatic stress disorder and related comorbidities after acute trauma. *Gen Hosp Psychiatry.* Mar-Apr;33(2):123-34. doi: 10.1016/j.genhosppsych.2011.01.001. Epub 2011 Feb 18.
4. Browne A, Appleton S, Fong K, Wood F, Coll F, de Munck S, Newnham E, Schug S. (2013) A pilot randomized controlled trial of an early multidisciplinary model to prevent disability following traumatic injury. *Disabil Rehabil.* 2013 Jul;35(14):1149-63. doi: 10.3109/09638288.2012.721047. Epub 2012 Oct 22.
5. O'Donnell, M.,L., Lau, W., Tipping, S., Holmes, A.C.N., Ellen, S., Judson, R., Varker, T., Elliot, P., Bryant, R.A., Creamer, M.C. and Forbes, D. (2012) Stepped early psychological intervention for posttraumatic stress disorder, other anxiety disorders, and depression following serious injury. *Journal of Traumatic Stress [online].* 25 (2), pp.125-133.

The Impact of Injuries study (EPPICs parent study) protocol & papers:

1. Kellezi B, Earthy S, Slaney J, Beckett K, Barnes J, Christie N, Horsley D, Jones T, Kendrick D (2020). What can trauma patients' experiences and perspectives tell us about the perceived quality of trauma care? a qualitative study set within the uk National Health Service Injury. *Injury.* 51(5), 1231-1237
2. Kendrick D, Baker R, Hill T, Beckett K, Coupland C, Kellezi B, Joseph S, Barnes J, Slaney J, Christie N, Morriss R. (2018). Early risk factors for depression, anxiety, and post-traumatic distress after hospital admission for unintentional injury: Multicentre cohort study *Journal of Psychosomatic Research.* 112, 15-24
3. Kendrick D, DHIMAN, P., Kellezi B, Coupland C, Whitehead J, Beckett K, Christie N, Slaney J, Barnes J, Joseph S, Morriss R (2017) Psychological morbidity and return to work after injury: multicentre cohort study *British Journal of General Practice.* Published Online First: 19 June 2017, [bjgp17X691673](https://doi.org/10.3399/bjgp17X691673)
4. Christie N, Beckett K, Earthy S, Kellezi B, Slaney J, Barnes J, Jones T, Kendrick D, (2016) Seeking support after hospitalisation for injury: a nested qualitative study of the role of primary care. *British Journal of General Practice.* 66(642), e24-e31
5. Kellezi B, Coupland C, Morriss R, Beckett K, Joseph S, Barnes J, Christie N, Slaney J, Kendrick D. (2016). The impact of psychological factors on recovery from injury: a multicentre cohort study. *Social psychiatry and psychiatric epidemiology.* Published Online First: 1 November 2016, doi:10.1007/s00127-016-1299-z
6. Kellezi B, Beckett K, Earthy S, Barnes J, Slaney J, Clarkson J, Regel S, Jones T, Kendrick D. (2015). Understanding and meeting information needs following unintentional injury: Comparing the accounts of patients, carers and service providers *Injury.* 46(4), 564-571
7. Kellezi B, Baines D, Coupland C, Beckett K, Barnes J, Slaney J, Christie N, Kendrick D (2015). The impact of injuries on health service resource use and costs in primary and secondary care in the

English NHS Journal of Public Health. First published online: 26 November 2015,
doi:10.1093/pubmed/fdv173

8. Beckett K, Earthy S, Slaney J, Barnes J, Kellezi B, Barker M, Clarkson J, Coffey F, Elder G, Kendrick D and The Impact of Injuries Study group. (2014). Providing effective trauma care: the potential for service provider views to enhance the quality of care (qualitative study nested within a multicentre longitudinal quantitative study) *BMJ Open*. 4(7), e005668
9. Kendrick D, O'Brien C, Christie N, Coupland C, Quinn C, Avis M, et al. (2011). The impact of injuries study. Multicentre study assessing physical, psychological, social, and occupational functioning post injury-a protocol. *BMC Public Health*, 11(1),963.

EPPIC 12/11/2021

